



WHY TRK DIGGING BUCKETS ARE THE BETTER CHOICE

Does your bucket measure up?



trkattachments.com
1-800-952-7849

TRK Attachments
250 Martindale Road
St. Catharines, ON L2S 0B2
Canada

© 2026 All Rights Reserved.

Document no: TA-TRK-002
Product: Digging Bucket
Author: Caleb Lepp
Date: 10/13/2026
Department: Engineering



Contents

1) Dual Radius:	3
2) Geometry:	4
3) OEM Specifications:	4
4) Steel Quality:	5
5) Weld Integrity:	5
6) Reinforcement:	5
7) Optional pre-cut holes	6
8) D-ring Lifting Lug	6
9) Human Made	6
10) North American Made	6
11) When to contact TRK:	6
12) Appendix A	7

1) Dual Radius:

A dual radius design provides more clearance at the heel of the digging bucket. This helps keep the back of the bucket from contacting the ground while digging, resulting in smoother and more efficient operation. Less drag means less stress on the underside and substructure of the bucket. See Figure 1 below.




Figure 1: Additional radii give a more efficient digging path

2) Geometry:

The taper, curl, and radius determines how easily dirt packs into the bucket and prevents sticky material from getting trapped in the corners of the bucket. Because the bucket moves through the ground more efficiently, the excavator requires less power to dig, which can also help reduce fuel consumption. See Figure 2 below.




Figure 2: Front to Back Taper

3) OEM Specifications:

We machine the pin boss diameters and ear spacing to strict OEM specifications providing a tight fit. A sloppy fit can lead to premature wear on the bucket pins, bushings, and quick couplers.

4) Steel Quality:

We use premium, abrasion-resistant and high-tensile strength steels in all critical points. Other brands often use standard carbon structural steels. While cheaper upfront, they deform, crack, or wear down significantly faster.

5) Weld Integrity:

We do multi-pass structural welding, while many others have thinner, single-pass welds which could snap under heavy impact. Every second your bucket is in the shop getting repaired is time that it could have been working for you.

6) Reinforcement:

We reinforce the back and side skins with wear strips and cheek plates to prevent costly shell replacement. See Figure 3 below.



Figure 3: Wear plates reinforce the back skin

7) Optional pre-cut holes:

TRK digging buckets have optional pre-cut holes for you to add bolt-on side cutters at a later time. Please inquire at the time of purchase.

8) D-ring Lifting Lug:

The backside of the TRK Digging Bucket has a lifting lug. See Figure 4 below.



Figure 4: D-ring lifting lug

9) Human Made:

Our attachments are not assembled by robots. We put a little love into every weld. See Appendix A for manufacturing videos.

10) North American Made:

All TRK Attachments are made in the USA and Canada, using U.S. and Canadian Steel.

11) When to contact TRK Attachments:

Contact TRK Attachments with any questions or comments you may have about our digging buckets.

APPENDIX A

Manufacturing Videos



*From Scratch Excavator Skeleton
Bucket Fabrication*



*From Raw Metal to Finished
Skeleton Excavator Bucket*



*The Reason Contractors Trust
Handmade Excavator Attachments*



*Skeleton Bucket Painting and Final
Assembly: See what sets ours apart*