



*A DIVISION OF LIFCO*

# 2026 COUPLER GUIDE





A DIVISION OF LIFCO


# HOW TO INSTALL YOUR NEW MULTI-GRAB COUPLER

- 1** Inspect the Multi-Grab Coupler and accessories upon delivery. Check the packaging for any damage which might have occurred during shipment. Ensure all components have been delivered. If anything appears to be damaged, missing or incorrect, contact TRK before continuing with the installation.
- 2** Thoroughly clean pin bores and boss faces on the machine before installation.
- 3** Unfasten the retaining hardware and remove the pins that came pre-installed in the Multi-Grab Coupler. These pins will be used later, either to pin the coupler to the machine, or used with an existing attachment, depending on your order.
- 4** Place the Multi-Grab Coupler on the ground oriented as shown in the image to the right.
- 5** Lower the arm in between the lugs and align the pin bores of the stick and link with the corresponding bores on the Coupler.
- 6** Apply grease to the pin bores of the coupler before pinning the coupler to the machine.
- 7** Secure the pins using the retaining hardware included with your Multi-Grab Coupler.
- 8** Ensure that the Multi-Grab Coupler is the correct fit by fully curling and crowding bucket linkage slowly, watching for interference or resistance. If there are any signs that the Multi-Grab Coupler is not operating smoothly, contact TRK. Do not attempt any modifications to either the Multi-Grab Coupler or the machine.



# HOW TO OPERATE YOUR NEW MULTI-GRAB COUPLER

Using a 1/2" drive ratchet, adjust the mover grabber jaw to make a tight fit. Secure rear auxlock before operation.



**⚠ WARNING**

DO NOT USE IMPACT WRENCH. REQUIRES A 1/2" DRIVE RATCHET. RECOMMENDED TORQUE: 150 FT/LBS. DO NOT EXCEED: 200 FT/LBS.

# SEVERE DUTY MULTI-GRAB MANUAL COUPLER



A DIVISION OF LIFCO

- Includes 1 set of Hardened Alloy pins.
- Constructed from Canada and USA made T1 & AR400 Steel at all critical points.
- Change attachments in minutes. No pins to hammer.
- Grabs variable pin centres.
- Requires only a 1/2" drive ratchet to operate.
- Cinches up the slack as pins and coupler wear.



**CLICK TO CHECK AVAILABILITY & PRICING**

Multi-Grab Ranges	4 to 9 Ton Machines				10 to 78 Ton Machines						
Pin Size	40mm	45mm	50mm	55mm	60mm	65mm	70mm	80mm	90mm	100mm	110mm
Grab Range Min	8 1/2"	8 3/4"	9"	12"	12 1/2"	12 1/2"	13 3/4"	15 1/4"	16 3/4"	17 1/2"	19"
Grab Range Max	Customized per OEM Specs				17"	17 1/2"	18 3/4"	20 3/4"	23 1/2"	25"	26"

4-6 Ton Machine Class	MGC040-004-006 / MGC045-004-006 / MGC050-004-006										
7-9 Ton Machine Class	MGC040-007-009 / MGC045-007-009 / MGC050-007-009		MGC060-007-009								
10-14 Ton Machine Class	MGC040-010-014 / MGC045-010-014 / MGC050-010-014		MGC060-010-014	MGC065-010-014	MGC070-010-014						
15-19 Ton Machine Class			MGC060-015-019	MGC065-015-019	MGC070-015-019	MGC080-015-019					
20-25 Ton Machine Class					MGC070-020-025	MGC080-020-025					
26-30 Ton Machine Class						MGC080-026-030	MGC090-026-030				
31-36 Ton Machine Class						MGC080-031-036	MGC090-031-036	MGC100-031-036			
37-45 Ton Machine Class							MGC090-037-045	MGC100-037-045	MGC110-037-045		
46-55 Ton Machine Class								MGC100-046-055	MGC110-046-055		

Pins sold separately.

**1-800-952-7849**

**trkattachments.com**

**sales@trkattachments.com**

All attachments include a 2 year limited warranty. If you have any questions or have a custom requirement for your attachment, please give us a call.

# **MULTI-GRAB MANUAL COUPLER**

**FOR MACHINES UNDER 4 TONS**



**A DIVISION OF LIFCO**

**Our smallest available couplers are designed for machines 4-6 tons. If your machines weight falls under the standard weight class, but uses 40mm pins or higher, we often can still offer a coupler for your machine, however the customer is responsible to ensure the coupler will not overload their machine when in use with their attachments.**



Product Code	Approx. Weight (Lbs)
MGC040-004-006	165
MGC040-007-009	185
MGC040-010-014	205
MGC045-004-006	240
MGC045-007-009	260
MGC045-010-014	280

**1-800-952-7849**  
**trkattachments.com**  
**sales@trkattachments.com**

All attachments include a 2 year limited warranty. If you have any questions or have a custom requirement for your attachment, please give us a call.



***A DIVISION OF LIFCO***

©2026 Lifco Hydraulics. All Rights Reserved.